

Rodent Enrichment Policy

Adopted by UCAR 7-16-14

Revised by Anjelica Rehring and approved by UCAR 7/17/24

Background

The primary aim of environmental enrichment is to:

- I. Enhance animal well-being by providing animals with sensory and motor stimulation, through structures and resources;
- II. Facilitate the expression of species-typical behaviors; and
- III. Promote psychological well-being through physical exercise, manipulative activities, and cognitive challenges according to species-specific characteristics.

Scope

This policy applies to all rodents housed at the University of Rochester.

Policy

Each animal should be provided with the opportunity to exhibit species typical behavior. Primary enclosures are continually evaluated by the Department of Comparative Medicine (DCM) to provide laboratory rodents with an appropriate environment that enhances their well-being. *Social housing will be considered as the default method of housing social rodents unless otherwise justified based on social incompatibility resulting from inappropriate behavior, veterinary concerns regarding animal well-being, or scientific necessity approved by the UCAR. Environmental enrichment for rodents will be considered the default unless scientifically justified and approved by UCAR (see below for species specific enrichment strategies).*

Procedures

I. Basic structural and environmental components

A. Cages with solid bottoms are the default to provide a comfortable resting and walking surface. Investigators must scientifically justify the use of novel housing, metabolic cages and wire-bottom cages. When approved by UCAR, rodents may be housed on wire-bottom cages for the minimum period required to achieve the scientific goals of the study.

When group housed rats exceed the minimum floor space requirements in standard rat cages, they are moved into larger cages to allow them to maintain social housing. Alternatively, UCAR may exempt animals from the minimum space requirements to allow social housing. In these cases, animals will be monitored, and changes in husbandry (i.e., frequency of cage changes), may be implemented to ensure the overall well-being of the animals.

B. All rodents are provided with bedding to allow for species-typical burrowing and nest building. Biofresh Performance bedding is the default, but investigators may request alternative beddings if necessary.

C. In addition to structural elements, all rodents will have at least one environmental enrichment item added to the cage. Environmental enrichment typically used for rodents includes nesting material (e.g., pads of compressed bedding, nesting sheets, long strands of crinkled paper, Enviropaks etc.), gnawing sticks/blocks, and/or polycarbonate shelters (Mouse house). Additional products may include Alpha-Dri Plus (pre-enriched bedding), Shepherd shacks, plastic huts or houses, and/or plastic pipes. These products block ambient light and encourage nest building activities, provide sheltered areas, or control temperature within the primary enclosure.

D. Polycarbonate tubes for tunneling, rat lofts, Nylabones®, wood sticks/blocks may be provided to rats. Rats in metabolic cages receive marbles. They may also be provided with rest pads (e.g., commercially available products or pieces of cardboard) when it doesn't interfere with the research.

II. Nutritional Enrichment

The use of species appropriate diet or dietary supplement items may be used as a means of enrichment. Food treats may be provided to rodents providing they do not significantly reduce the consumption of the normal diet (e.g., veggie relish, sunflower/pumpkin seeds, commercially available rodent treats, fresh produce etc.).

III. Rodents Requiring Special Attention

Occasionally, rodents exhibit behavior that suggests they may benefit from a more complex environment. If DCM determines that additional enrichment is required for any rodent (e.g. self-inflicted lesions, continuous wire gnawing, jumping, circling, tail-chasing, excessive food shredding), manipulanda such as Nylabones, manzanita gnaw sticks, wood blocks, cardboard tubes, mouse houses and/or tunnels will be provided.

IV. Exemptions

UCAR recognizes the following exemptions to the requirement for social housing:

Scientific Exemptions

- a. Investigators must scientifically justify single housing in the Protocol, and UCAR must approve this exemption
- b. UCAR will carefully examine the justification, and may require that animals on certain studies in a Protocol be socially housed while recognizing that other experiments within the same Protocol may require single housing
- c. In all cases, single housing will be for the minimum period required to achieve the scientific goals

2. Veterinary Exemptions

- a. Injured, ill, or debilitated rodents may be single housed at the discretion of DCM
- b. Female rodents which barber subordinate animals to the point where they cause skin lesions in subordinates may also be exempted

3. Social Incompatibility

- a. Male mice are exempt from social housing requirements once they have been removed from the cage where they are first housed with other males
- b. Syrian hamsters are exempt from social housing requirements once they have been removed from the cage where they were first housed with others of their own gender
- c. Blind mole rats are solitary, territorial, and aggressive underground rodents and social housing is contraindicated due to their natural behavior.

References

- André, V., Gau, C., Scheideler, A., Aguilar-Pimentel, J. A., Amarie, O. V., Becker, L., ... & Moreth, K. (2018). Laboratory mouse housing conditions can be improved using common environmental enrichment without compromising data. *PLoS Biology*, *16*(4), e2005019.
- Bayne, K. (2018). Environmental enrichment and mouse models: Current perspectives. *Animal models and experimental medicine*, *1*(2), 82-90.
- Bechard, A., Meagher, R., & Mason, G. (2011). Environmental enrichment reduces the likelihood of alopecia in adult C57BL/6J mice. *Journal of the American Association for Laboratory Animal Science*, *50*(2), 171.
- Cait, J., Cait, A., Scott, R. W., Winder, C. B., & Mason, G. J. (2022). Conventional laboratory housing increases morbidity and mortality in research rodents: results of a meta-analysis. *BMC biology*, *20*, 1-22.
- Chmiel, D. J., & Noonan, M. (1996). Preference of laboratory rats for potentially enriching stimulus objects. *Laboratory Animals*, *30*(2), 97-101.
- Gaskill, B. N., & Pritchett-Corning, K. R. (2016). Nest building as an indicator of illness in laboratory mice. *Applied Animal Behaviour Science*, *180*, 140-146.
- Gaskill, B. N., Gordon, C. J., Pajor, E. A., Lucas, J. R., Davis, J. K., & Garner, J. P. (2012). Heat or insulation: Behavioral titration of mouse preference for warmth or access to a nest. *PloS One*, *7*(3), e32799. doi:10.1371/journal.pone.0032799
- Gaskill, B.N. et al. Energy reallocation to breeding performance through improved nest building in laboratory mice. *PLoS ONE* *8*, e74153 (2013).
- Hess, S. E., Rohr, S., Dufour, B. D., Gaskill, B. N., Pajor, E. A., & Garner, J. P. (2008). Home improvement: C57BL/6J mice given more naturalistic nesting materials build better nests. *Journal of the American Association for Laboratory Animal Science*, *47*(6), 25.
- Hutchinson, E., Avery, A., & VandeWoude, S. (2005). Environmental enrichment for laboratory rodents. *ILAR Journal*, *46*(2), 148-161.
- ILAR Guide for the Care and Use of Laboratory Animals (The Guide), 8th edition, NRC, 2011.
- Kuhnen, G. (2002). Comfortable quarters for hamsters in research institutions. In V. Reinhardt & A. Reinhardt (Eds.), *Comfortable quarters for laboratory animals, 9th ed.* (pp. 33-37). Washington, DC: Animal Welfare Institute.
- Lawlor, M. M. (2002). Comfortable quarters for rats in research institutions. In V. Reinhardt & A. Reinhardt (Eds.), *Comfortable quarters for laboratory animals, 9th ed.* (pp. 26-32). Washington, DC: Animal Welfare Institute.

- Manser, C., Broom, D., Overend, P., & Morris, T. (1998). Investigations into the preferences of laboratory rats for nest-boxes and nesting materials. *Laboratory Animals*, 32(1), 23-35.
- Nip, E., Adcock, A., Nazal, B., MacLellan, A., Niel, L., Choleris, E., ... & Mason, G. (2019). Why are enriched mice nice? Investigating how environmental enrichment reduces agonism in female C57BL/6, DBA/2, and BALB/c mice. *Applied Animal Behaviour Science*, 217, 73-82.
- Olsson, I. A. S., & Dahlborn, K. (2002). Improving housing conditions for laboratory mice: A review of 'environmental enrichment'. *Laboratory Animals*, 36(3), 243-270.
- Ratuski, A. S., & Weary, D. M. (2022). Environmental enrichment for rats and mice housed in laboratories: a metareview. *Animals*, 12(4), 414.
- Reinhardt, V. (2002). Comfortable quarters for guinea pigs in research institutions. In V. Reinhardt & A. Reinhardt (Eds.), *Comfortable quarters for laboratory animals*, 9th ed. (pp. 38-42). Washington, DC: Animal Welfare Institute.
- Reinhardt, V., & Reinhardt, A. (2006). *Variables, refinement and environmental enrichment for rodents and rabbits kept in research institutions*. Washington, DC: Animal Welfare Institute.
- Sherwin, C. M. (2002). Comfortable quarters for mice in research institutions. In V. Reinhardt & A. Reinhardt (Eds.), *Comfortable quarters for laboratory animals*, 9th ed. (pp. 6-17). Washington, DC: Animal Welfare Institute.
- Smith, A., & Corrow, D. (2005). Modifications to husbandry and housing conditions of laboratory rodents for improved well-being. *ILAR Journal*, 46(2), 140-147.
- Van de Weerd, H., Van Loo, P., Van Zutphen, L., Koolhaas, J., & Baumans, V. (1997). Nesting material as environmental enrichment has no adverse effects on behavior and physiology of laboratory mice. *Physiology & Behavior*, 62(5), 1019-1028.
- Van Loo, P. L. P., Van Zutphen, L. F. M., & Baumans, V. (2003). Male management: Coping with aggression problems in male laboratory mice. *Laboratory Animals*, 37(4), 300-313.
- Waiblinger, E. (2002). Comfortable quarters for gerbils in research institutions. In V. Reinhardt & A. Reinhardt (Eds.), *Comfortable quarters for laboratory animals*, 9th ed. (pp. 18-25). Washington, DC: Animal Welfare Institute